

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Clifton Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	18	16
AIDS-CD4 Only	36	32	0	0	36	32
HIV Only	#	#	#	#	59	52
-----	-----	---	-----	---	-----	---
Total	111	100	#	#	113	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic	#	#	#	#	49	43
5-12	#	#	Black, Not Hispanic	#	#	#	#	17	15
13-19	#	#	Hispanic	45	41	0	0	45	40
20-29	5	4	Other/Unknown	#	#	#	#	#	#
30-39	34	30	-----	-----	---	-----	---	-----	---
40-49	39	35	Total	111	100	#	#	113	100
50+	32	28							
Unk.	0	0							
-----	-----	---							
Total	113	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	37	48	0	0	37	34
Injection drug user (IDU)	12	16	8	25	20	18
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	12	16	10	31	22	20
-----	-----	---	-----	---	-----	---
Total	77	100	32	100	109	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 2 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Clifton Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	60	(35)	55 (93)	0	(0)	0 (.)	60	(34)
Other OI w/o PCP	#	(#)	# (#)	#	(#)	# (#)	#	(#)
KS Alone	#	(#)	# (#)	#	(#)	# (#)	#	(#)
No Disease Listed	59	(34)	23 (40)	0	(0)	0 (.)	59	(34)
Total	173	(100)	120 (71)	#	(#)	0 (0)	174	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	112	64
5-12	0	0	Black, Not Hispanic	13	8	0	0	13	7
13-19	#	#	Hispanic	#	#	#	#	47	27
20-29	28	16	Other/Unknown	#	#	#	#	#	#
30-39	72	41	-----	-----	-----	-----	-----	-----	-----
40-49	52	30	Total	173	100	#	#	174	100
Over 49	20	11							
Unknown	0	0							
Total	174	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	52	40	0	0	52	30
Injection drug user (IDU)	42	32	15	36	57	33
MSM/IDU	8	6	0	0	8	5
Heterosexual contact	10	8	16	38	26	15
Risk not reported/other***	19	15	11	26	30	17
Total	131	100	42	100	173	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	.	0	0	0	0
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Clifton Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1986	5	#	#
1987	5	5	100%
1988	10	10	100%
1989	13	13	100%
1990	12	10	83%
1991	10	9	90%
1992	17	16	94%
1993	14	13	93%
1994	11	8	73%
1995	27	14	52%
1996	10	#	#
1997	10	#	#
1998	9	6	67%
1999	5	#	#
2000	#	#	#
2001	#	#	#
2002	6	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	174	120	69%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Clifton Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	26	43
5-12	#	#	Black, Not Hispanic	#	#	#	#	15	25
13-19	0	0	Hispanic	19	32	0	0	19	31
20-29	12	19	Other/Unknown	#	#	#	#	#	#
30-39	27	44	-----	-----	---	-----	---	-----	---
40-49	14	23	Total	59	100	#	#	62	100
Over 49	6	10							
Unknown	0	0							
-----	-----	---							
Total	62	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	20	49	0	0	20	34
Injection drug user (IDU)	#	#	#	#	#	#
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	7	17	9	50	16	27
Risk not reported/other***	7	17	5	28	12	20
-----	-----	---	-----	---	-----	---
Total	41	100	18	100	59	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Clifton Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	115	49
AIDS-CD4 Only	59	25	0	0	59	25
HIV Only	#	#	#	#	62	26
-----	-----	---	-----	---	-----	---
Total	232	100	#	#	236	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
-----	-----	---	-----	Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	138	58
5-12	#	#	Black, Not Hispanic	#	#	#	#	28	12
13-19	#	#	Hispanic	66	28	0	0	66	28
20-29	51	22	Other/Unknown	#	#	0	0	#	#
30-39	95	40	-----	-----	---	-----	---	-----	---
40-49	61	26	Total	232	100	#	#	236	100
Over 49	23	10							
Unknown	0	0							
-----	-----	---							
Total	236	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	72	42	0	0	72	31
Injection drug user (IDU)	48	28	19	32	67	29
MSM/IDU	9	5	0	0	9	4
Heterosexual contact	17	10	25	42	42	18
Risk not reported/other***	26	15	16	27	42	18
-----	-----	---	-----	---	-----	---
Total	172	100	60	100	232	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Clifton Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	#	#	#
1986	5	#	#
1987	7	7	100%
1988	13	12	92%
1989	22	20	91%
1990	19	16	84%
1991	17	12	71%
1992	20	14	70%
1993	12	9	75%
1994	15	#	#
1995	15	6	40%
1996	12	#	#
1997	16	#	#
1998	12	#	#
1999	8	#	#
2000	8	0	0%
2001	13	#	#
2002	8	0	0%
2003	7	0	0%
-----	-----	-----	-----
Total	236	123	52%